



स्थानीय सरकार
अपिहिमाल गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
खण्डेश्वरी, दार्चुला,
सुदूरपश्चिम, प्रदेश, नेपाल



पत्र संख्या २०८२/०८३

सू.च. ५५

(खरिद इकाई)

खुल्ला दरभाउपत्र पेश गर्ने सम्बन्धी सूचना

(सूचना नं. प्रथम पटक सूचना प्रकाशित मिति २०८३/०१/०३)

यस गाउँपालिका जलवायु परिवर्तन स्थानीय अनुकूलन परियोजना (LACC-Project) को चालु आर्थिक वर्ष २०८२/०८३ को स्वीकृत बार्षिक बजेट तथा कार्यक्रम अन्तरगत कार्यालय व्यवस्थापनका लागि तपसिल बमोजिम ल्यापटप, प्रिन्ट, पावर बैक तथा सर्वे रेक सामग्री खरिद गर्न सार्वजनिक खरिद ऐन, २०६३ को दफा ४१, सार्वजनिक खरिद नियमावली, २०६४ को नियम ८५ र अपिहिमाल गाउँपालिकाको सार्वजनिक खरिद नियमावली, २०७८ को नियम ९५ बमोजिम गर्नु पर्ने भएकाले ईच्छुक फर्म/कम्पनी/सप्लायर्सले तपसिलमा उल्लेखित मिति, समय र स्थानमा रीतपूर्वकको दरभाउपत्र पेश गर्न हुन सम्बन्धित सबैको जानकारीका लागि यो सूचना प्रकाशित गरिएको छ ।

क्र.सं.	खरिद कार्यको विवरण	सुचिकृत दस्तुर(रु)	लागत अनुमान (मु.अ.कर सहित)	दरभाउ पेश गर्ने अन्तिम मिति, समय र स्थान	कैफियत
१.	ल्यापटप, प्रिन्ट, पावर बैक तथा सर्वे रेक ।	१०००।०० (अक्षरुपी एक हजार मात्र)	४,५३,४९९।९७ (अक्षरुपी चार लाख त्रिपन्न हजार चार सय उनान्सय रुपैया उनान्सय पैसा मात्र)	मिति: २०८३।०१।०९ समय: बेलुका ५ बजे भित्र स्थान: अपिहिमाल गा.पा. कार्यालय, खण्डेश्वरी, दार्चुला	

- दरभाउपत्र पेश गर्न सप्लायर्स/फार्मले अनिवार्य रूपमा दरभाउपत्र पेश गर्ने व्यहोरा सम्बन्धी लिखित निवेदन सहित नविकरण भएको फर्म, दर्ता प्रमाणपत्रको प्रतिलिपि, नविकरण भएको व्यवसायको दर्ता प्रमाणपत्रको प्रतिलिपि र आ.व.२०८१/०८२ को करचुक्ता प्रमाणपत्रको प्रतिलिपि संलग्न गरी पेश गर्नु पर्नेछ ।
- दररेट पेश गर्ने फर्म/कम्पनी/सप्लायर्सले अपिहिमाल गाउँपालिकाको आर्थिक ऐन, २०८२ मा भएको व्यवस्था बमोजिमको राजस्व रकम रु १०००।०० (अक्षरुपी एक हजार रुपैयाँ मात्र) गाउँपालिकाको माछापुच्छ्रे बैंक लि. खण्डेश्वरी शाखामा रहेको आन्तरिक राजस्व खाता नं.०९८००७५९६२८००१६१मा जम्मा गरी मौजुदा सूचीमा सूचीकृत भएको हुनु पर्नेछ ।
- उक्त खरिद कार्यको लागि आवश्यक **BoQ** यस कार्यालयको वेबसाइट www.apihimalmun.gov.np बाट डाउनलोड गर्न सकिनेछ ।
- दरभाउपत्र अपिहिमालको ईमेल-आइडी apihimaldarchula@gmail.com मा पठाउन सकिनेछ ।
- BoQ** मा आफुले कबोल गरेको रकम अंकमा र अक्षरमा स्पष्ट बुझिने गरी लेखेर पेश गर्नु पर्नेछ । केरमेट भएको दरभाउपत्र (BoQ) र म्याद नाघी आएका दरभाउपत्र मूल्यांकनमा समावेश गरिने छैन ।
- प्रस्ताव पेश गर्ने अन्तिम दिन सार्वजनिक विदा भई कार्यालय बन्द रहेमा विदा सकिएपछि कार्यालय खुल्ला भएको दिनको कार्यालय समयभित्र प्रस्ताव पेश गर्न सकिनेछ ।
- दरभाउपत्र स्वीकृत वा अस्वीकृत गर्ने अधिकार कार्यालयलाई हुनेछ ।
- पेश भएका दरभाउ पत्रहरू मिति २०८३।०१।१० गते दिउसो १२ बजे यस कार्यालयमा खोलिने छन ।
- यस सूचनामा उल्लेख भएका कुरा प्रचलित कानून बमोजिम हुने छ । आपुर्ती र भुक्तानीका थप शर्तहरू समझौतामा निर्धारण भए बमोजिम हुनेछ ।


नि. प्रमुख प्रशासकीय अधिकृत

स्थानीय सरकार
अपिहिमाल गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
खण्डेश्वरी, दार्चुला

जलवायु परिवर्तन स्थानीय अनुकूलन (LACC- Project) परियोजना
दरभाउपत्र (BOQ)



(Signature)

सि. प्रमुख प्रशासकीय अधिकृत

क्र.सं.	खरिद सामग्रीहरूको विवरण	एकाई	परिमाण	दर		जम्मा	कैफियत
				अंकमा	अक्षरमा		
1	Business Series Laptop	थान	2				
2	3 in 1 Printer Laser Printer	थान	1				
3	Monochrome laser Printer	थान	1				
4	PowerBank	थान	3				
5	27U Server Rack	थान	1				
						जम्मा	
						१३ प्रतिशत भ्याट	
						कुल जम्मा	4,53,499.97

खरिद कार्यको विवरण: ल्यापटप, प्रिन्ट, पावर बैंक र अन्य

ढुवानी गर्नु स्थान: अपिहिमाल गाउँपालिका

भ्याट सहितको लागत रकम:

हस्ताक्षर
सप्लायर्स/कर्मको नाम:
ठेगाना
मिति:

सप्लायर्स/कर्मको छाप:

अपिहिमाल गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
खण्डेधरी, दार्चुला
सुदूरपश्चिम प्रदेश नेपाल
प्राविधिक विवरण, निर्दिष्टीकरण र मानकहरू




खरिद आयोजनाको नाम: LAAC Project

ठेगाना: अपिहिमाल गाउँपालिका

क्र.स.	खरिद उपकरणहरूको नाम	प्राविधिक विवरण, निर्दिष्टीकरण र मानकहरू		कैफियत
		विशेष	आवश्यकताहरू	
1	Business Series Laptop	Brand/Model	Must be specified by Bidder	
		Form Factor	Notebook / business-class laptop	
		Condition	Brand new	
		Processor	Latest generation Intel Core i5 or equivalent, minimum 10 cores / 12 threads, turbo frequency up to 4.6 GHz or higher	
		Graphics	Integrated graphics suitable for office productivity, multimedia, and external display connectivity	
		Display Size	14-inch minimum	
		Display Type	IPS or equivalent wide-view panel	
		Resolution	Minimum 1920 × 1200 (FHD+)	
		Aspect Ratio	16:10 preferred	
		Refresh Rate	Minimum 60 Hz	
		Brightness	Minimum 300 nits	
		Memory	Minimum 16GB DDR5 RAM	
		Storage	Minimum 512GB M.2 PCIe NVMe SSD	
		Wireless	Integrated Wi-Fi and Bluetooth	
		Battery	Minimum 54 Wh battery or higher	
		Power Adapter	Original OEM adapter, minimum 65W	
		Weight	Maximum 1.60 kg	
Camera / Audio	Integrated HD webcam, microphone, and speakers			
Ports	Minimum USB ports, HDMI or equivalent display output, and audio combo jack			
Operating System	Genuine Windows 11 Pro 64-bit, preloaded and licensed			
Accessories	Standard accessories			
Warranty	Minimum 2-year manufacturer warranty			
2	3 in 1 Printer Laser Printer	Brand/Model	Must be specified by Bidder	
		Printer Type	Monochrome multifunction laser printer	
		Functions	Print, Copy, Scan	
		Condition	Brand new	
		Print Speed	Minimum 30 pages per minute (A4)	
		Print Resolution	Minimum 2400 × 600 dpi	
		Duplex Printing	Automatic duplex printing required	
		Display	Basic LCD display for operation status	
		Paper Input Capacity	Minimum 250-sheet input tray plus manual feed slot	
		Output Capacity	Minimum 100-sheet output tray	
		Supported Paper Size	Up to Legal size (8.5 × 14 inch)	
		Interfaces	Minimum USB 2.0, Ethernet, and Wi-Fi	
		Copy Resolution	Minimum 600 × 600 dpi	
		Copy Features	Sorting, N-in-1, multiple copy, ID copy, or equivalent	
		Scanner Type	Flatbed color scanner with Automatic Document Feeder (ADF)	
		Scan Resolution	Optical minimum 600 × 2400 dpi	
		Scan Features	Scan to file, image, e-mail, OCR, or equivalent	
Mobile / Network Printing	Support for standard mobile and network printing protocols or			
Duty Cycle	Minimum 10,000 pages per month			
Consumables	Starter toner / cartridge included			
Power	Compatible with Nepal standard power supply			
Warranty	Minimum 1-year manufacturer warranty			
3	Monochrome laser Printer	Brand/Model	Must be specified by Bidder	
		Printing Method	Monochrome Laser Beam Printing	
		Print Speed	Minimum 12 ppm (A4)	
		Resolution	600 × 600 dpi (Enhanced up to 2400 × 600 dpi with Automatic Image Refinement)	
		First Print Out Time	9.3 seconds or less	
		Warm-up Time	0 seconds (Instant-on Fusing System)	
		Paper Handling (Input)	150-sheet Multi-purpose Tray	
		Paper Handling (Output)	100-sheet Face-down	
Paper Sizes Supported	A4, B5, A5, LGL, LTR, Executive, Envelopes, Custom sizes			
Memory	2MB (Standard)			

Chief Administrative Officer



		Interface	USB 2.0 High Speed
		Supported OS	Windows 10/11, Windows 8/7/XP/2000, Linux (CURS)
		Toner Cartridge	Canon Cartridge 303 (Yield: ~2,000 pages)
		Duty Cycle	Up to 800 pages per month
		Power Requirements	220 - 240V (±10%), 50/60Hz (±2Hz)
		Weight	Approx. 5.7kg (excluding cartridge)
		Warranty	Minimum 1-year manufacturer warranty
4	PowerBank	Brand/Model	Must be specified by Bidder
		Battery Capacity	Minimum 25,000mAh (90Wh - 92.5Wh)
		Battery Type	Lithium-ion or Lithium-polymer (High-density cells)
		Total Max Output	Minimum 60W (Supports Power Delivery 3.0/3.1)
		Output Ports	At least 3 Ports: 2x USB-C (PD), 1x USB-A (QC 3.0)
		USB-C Output	Minimum 60W dedicated output on at least one USB-C port
		Input (Self-Recharge)	Minimum 45W - 60W via USB-C (Rapid recharge support)
		Charging Protocols	PD 3.0, QC 3.0/4.0, PPS (Programmable Power Supply)
		Display	Integrated Digital LED/TFT Display (Real-time % and Wattage)
		Safety Systems	Over-charge, Over-discharge, Short-circuit, and Over-temp protection
		Flight Compliance	Must be under 100Wh (TSA/ICAO approved for carry-on)
		Build Material	Fire-retardant (V0-rated) ABS/Polycarbonate or Aluminum Alloy
		Included Accessories	1x High-speed 100W USB-C to USB-C Cable (Min 0.5m)
Warranty	Minimum 1-year manufacturer warranty		
5	Server Rack	Brand/Model	Must be specified by Bidder
		Rack Height	27U (Standard Rack Units)
		Width	600mm (Standard slim profile)
		Depth	1000mm (Deep-reach for long-chassis servers)
		Mounting Standard	19-inch EIA-310-D Compliant
		Material	Cold Rolled Steel (SPCC); Framework thickness min 2.0mm; Panels 1.2mm
		Static Load Capacity	Minimum 800kg - 1000kg
		Front Door	High-density hexagonal perforated steel (min. 75% airflow) with swing handle lock
		Rear Door	Double-section perforated steel door for space-saving and ventilation
		Side Panels	Removable, dual-section panels with quick-release latches and key locks
		Vertical Mounting Rails	4x Adjustable depth rails with U-marking for easy alignment
		Cable Management	Top and bottom brush-entry cable slots; Vertical cable managers included
		Cooling	Top-mounted fan tray with 4x high-speed ball-bearing fans (220V/50Hz)
		Grounding	Integrated copper earthing/grounding kit for all panels and frame
		Mobility	4x Heavy-duty swivel castors and 4x adjustable leveling feet
		Power Distribution Unit (PDU):	1x Horizontal 8-Way or 12-Way PDU (Universal/UK/IEC sockets) with 16A Circuit Breaker.
		Hardware Kit:	Minimum 40 sets of M6 Cage Nuts, Bolts, and Washers.
		Security:	Master key system for front, rear, and side panels.
Warranty	Minimum 1-year manufacturer warranty		

तयार पार्ने

हस्ताक्षर

ई. प्रमोद सिंह मन्याल
पद: सूचना प्रविधि अधिकृत
मिति: २०८२/१२/१०

स्वीकृत गर्ने

हस्ताक्षर

ईन्द्र बहादुर रावल
प्रमुख प्रशासकिय अधिकृत
मिति: २०८२/१२/१०

Chief Administrative Officer